

Jfw

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

THOMASSET

Atty. Ref.: DMB-2590-166

Serial No. 10/591,126

TC/A.U.: 1794

Filed: August 30, 2006

Examiner: Erik Kashnikov

For: MULTILAYER DOSE HAVING A CONCAVE SURFACE

* * * * *

November 24, 2009

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

The applicant advises the USPTO that it filed the following pending U.S. applications on about the same date:

<u>N&V Ref. No.</u>	<u>U.S. Appln. Serial No.</u>
2590-163	10/590,201
2590-164	10/591,117
2590-165	10/591,116
2590-166	10/591,126
2590-167	10/591,127

Office Actions have issued in these five cases. A summary of the Office Actions are set forth below:

U.S. Patent Application 10/590,201 (2590-163)

Office Action 10/31/2008
Office Action 06/08/2009
Advisory Action 10/28/2009

THOMASSET
Serial No. 10/591,126

U.S. Patent Application 10/590,117 (2590-164)

Office Action	06/11/2008
Office Action	12/24/2008
Interview Summary	05/06/2009
Office Action	08/18/2009
Interview Summary	10/28/2009

U.S. Patent Application 10/591,116 (2590-165)

Office Action	06/12/2008
Notice of Allowance	01/28/2009

U.S. Patent Application 10/591,126 (2590-166)

Office Action	06/12/2008
Office Action	12/24/2008
Advisory Action	04/06/2009
Office Action	07/02/2009
Interview Summary	10/28/2009

U.S. Patent Application 10/591,127 (2590-167)


Office Action	06/11/2008
Office Action	12/17/2008
Advisory Action	07/06/2009

Copies of the foregoing communications are attached. Also, the attached form identifies the references cited therein.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: _____


Duane M. Byers
Reg. No. 33,363

DMB:lfo
901 North Glebe Road, 11th Floor
Arlington, VA 22203-1808
Telephone: (703) 816-4000
Facsimile: (703) 816-4100